

acc. to Regulation (EC) No. 1907/2006 (REACH)

WE MAKE CHEMISTRY WORK

GRAFFITIGUARD PERMANENT HD PRIMER

Version number: CHS 5.0 Revision: 2023-07-06 Replaces version of: 2023-02-16 (CHS 4)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Craffitiguard Permanent HD Primer

Alternative number(s) 57677

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Coating

1.3 Details of the supplier of the safety data sheet

Mavro International BV Heksekamp 1 5301 LX Zaltbommel Netherlands

Telephone: +31 418 680 680 e-mail: info@mavro-int.com

Website: https://www.mavro-int.com

1.4 Emergency telephone number

Emergency information service +31 418 680 680

This number is only available during the following office hours: Mon-Fri 09:00 AM - 05:00 PM

Poison centre

Country	Name	Postal code/ city	Telephone	Telefox	Opening hours
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital		0344 892 0111		Mon - Fri 12:00 AM - 12:00 AM

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.8D	specific target organ toxicity - single exposure (narcotic effects, drowsiness)	3	STOT SE 3	H336
3.10	aspiration hazard	1	Asp. Tox. 1	H304

United Kingdom: en Page: 1/13



acc. to Regulation (EC) No. 1907/2006 (REACH)

GRAFFITIGUARD PERMANENT HD PRIMER

Version number: CHS 5.0 Revision: 2023-07-06 Replaces version of: 2023-02-16 (CHS 4)

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
4.1C	hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

- Signal word danger

- Pictograms

GHS07, GHS08



- Hazard statements

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

- Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection

tion.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P312 Call a POISON CENTRE/doctor if you feel unwell.

P331 Do NOT induce vomiting.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P501 Dispose of contents/container to industrial combustion plant.

- Hazardous ingredients for labelling Hydrocarbons, C10-C13, n-alkanes, isoalkanes,

cyclics, < 2% aromatics, C7 - C9 Isoalkanen, Ti-

tanium tetrabutanolate

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of \geq 0,1%.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of \geq 0,1%.

United Kingdom: en Page: 2 / 13



acc. to Regulation (EC) No. 1907/2006 (REACH)

GRAFFITIGUARD PERMANENT HD PRIMER

Version number: CHS 5.0 Revision: 2023-07-06 Replaces version of: 2023-02-16 (CHS 4)

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Hydrocarbons, C10-C13, n- alkanes, isoalkanes, cyc- lics, < 2% aromatics	CAS No 64742-48-9 EC No 918-481-9	75 – < 90	Asρ. Tox. 1 / H304	\$
C7 - C9 Isoalkanen	CAS No 90622-56-3 EC No 292-458-5	10 - < 25	Flam. Liq. 2 / H225 Skin Irrit. 2 / H315 STOT SE 3 / H336 Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411	(1) (1) (2) (2) (2)
Titanium tetrabutanolate	CAS No 5593-70-4 EC No 227-006-8	1-<5	Flam. Liq. 3 / H226 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 STOT SE 3 / H335 STOT SE 3 / H336	

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
Hydrocarbons, C10-C13, n- alkanes, isoalkanes, cyc- lics, < 2% aromatics	-	-	>9.3 ^{m9} / _I /4h	inhalation: vapour

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Narcotic effects.

United Kingdom: en Page: 3 / 13



acc. to Regulation (EC) No. 1907/2006 (REACH)

GRAFFITIGUARD PERMANENT HD PRIMER

Version number: CHS 5.0 Revision: 2023-07-06 Replaces version of: 2023-02-16 (CHS 4)

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United Kingdom: en Page: 4 / 13



acc. to Regulation (EC) No. 1907/2006 (REACH)

GRAFFITIGUARD PERMANENT HD PRIMER

Version number: CHS 5.0 Revision: 2023-07-06 Replaces version of: 2023-02-16 (CHS 4)

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

this information is not available

Relevant DNELs of components of the mixture

Name of substance	CAS No	Endpoint		Protection goal, route of exposure		Exposure time
Titanium tet- rabutanolate	5593-70-4	DNEL	127 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects

Relevant PNECs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
Titanium tet- rabutanolate	5593-70-4	PNEC	0.08 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
Titanium tet- rabutanolate	5593-70-4	PNEC	0.008 ^{mg} / _I	aquatic organisms	marine water	short-term (single instance)
Titanium tet- rabutanolate	5593-70-4	PNEC	65 ^{mg} / _I	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Titanium tet- rabutanolate	5593-70-4	PNEC	0.069 ^{mg} / _{kg}	aquatic organisms	freshwater sedi- ment	short-term (single instance)
Titanium tet- rabutanolate	5593-70-4	PNEC	0.007 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
Titanium tet- rabutanolate	5593-70-4	PNEC	0.017 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

United Kingdom: en Page: 5 / 13



acc. to Regulation (EC) No. 1907/2006 (REACH)

GRAFFITIGUARD PERMANENT HD PRIMER

Version number: CHS 5.0 Revision: 2023-07-06 Replaces version of: 2023-02-16 (CHS 4)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

- Type of material

Nitrile

- Material thickness

>0.12mm

- Breakthrough times of the glove material

>480 minutes (permeation: level 6)

- Other protection measures

Wash hands thoroughly after handling.

Body protection

Protective clothing against liquid chemicals.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	transparent
Odour	Solvent
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	187 °C
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	63 °C
Auto-ignition temperature	not determined

United Kingdom: en Page: 6 / 13



acc. to Regulation (EC) No. 1907/2006 (REACH)

CRAFFITICUARD PERMANENT HD PRIMER

Version number: GHS 5.0
Replaces version of: 2023-02-16 (GHS 4)

Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
Solubility(ies)	not determined

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapour pressure	not determined
-----------------	----------------

Density and/or relative density

Density	0.77 ^g / _{cm³}
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	there is no additional information

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers

United Kingdom: en Page: 7 / 13



acc. to Regulation (EC) No. 1907/2006 (REACH)

GRAFFITIGUARD PERMANENT HD PRIMER

Version number: CHS 5.0 Revision: 2023-07-06 Replaces version of: 2023-02-16 (CHS 4)

·

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

10.6 Hazardous decomposition products

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	64742-48-9	inhalation: vapour	>9.3 ^{m9} / _I /4h

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

May be fatal if swallowed and enters airways.

11.2 Information on other hazards

There is no additional information.

United Kingdom: en Page: 8 / 13



acc. to Regulation (EC) No. 1907/2006 (REACH)

GRAFFITIGUARD PERMANENT HD PRIMER

Version number: GHS 5.0 Revision: 2023-07-06 Replaces version of: 2023-02-16 (GHS 4)

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability

Degradability of components of the mixture

Name of sub- stance	CAS No	Process	Degradation rate	Time	Method	Source
Hydrocarbons, C10-C13, n-al- kanes, isoalkanes, cyc- lics, < 2% aro- matics	64742-48-9	oxygen deple- tion	10 %	5 d		ECHA
Hydrocarbons, C10-C13, n-al- kanes, isoalkanes, cyc- lics, < 2% aro- matics	64742-48-9	carbon dioxide generation	0 %	3 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

United Kingdom: en Page: 9 / 13



acc. to Regulation (EC) No. 1907/2006 (REACH)

GRAFFITIGUARD PERMANENT HD PRIMER

Version number: CHS 5.0 Revision: 2023-07-06 Replaces version of: 2023-02-16 (CHS 4)

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID UN 1993 IMDG-Code UN 1993 ICAO-TI UN 1993

14.2 UN proper shipping name

ADR/RID FLAMMABLE LIQUID, N.O.S. IMDG-Code FLAMMABLE LIQUID, N.O.S.

ICAO-TI Flammable liquid, n.o.s.

Technical name (hazardous ingredients) C7 - C9 Isoalkanen, tetraethyl silicate

14.3 Transport hazard class(es)

ADR/RID 3
IMDG-Code 3
ICAO-TI 3

14.4 Packing group

ADR/RID || IMDG-Code || ICAO-TI || ||

14.5 Environmental hazards non-environmentally hazardous acc. to the danger-

ous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) - Additional information

Classification code F1
Danger label(s) 3



Special provisions (SP) 274, 601, 640D

Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
Transport category (TC) 2
Tunnel restriction code (TRC) D/E
Hazard identification No 33

United Kingdom: en Page: 10 / 13



acc. to Regulation (EC) No. 1907/2006 (REACH)

GRAFFITIGUARD PERMANENT HD PRIMER

Version number: CHS 5.0 Revision: 2023-07-06 Replaces version of: 2023-02-16 (CHS 4)

Emergency Action Code 3YE

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) - Additional

information

Classification code F1
Danger label(s) 3



Special provisions (SP) 274, 601, 640D

Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
Transport category (TC) 2
Hazard identification No 33

International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant - Danger label(s) 3



Special provisions (SP) 274

Excepted quantities (EQ) E2

Limited quantities (LQ) 1 L

EmS F-E, S-E

Stowage category B

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Danger label(s) 3



Special provisions (SP)

Excepted quantities (EQ)

Limited quantities (LQ)

1 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

United Kingdom: en Page: 11 / 13



acc. to Regulation (EC) No. 1907/2006 (REACH)

GRAFFITIGUARD PERMANENT HD PRIMER

Version number: GHS 5.0
Replaces version of: 2023-02-16 (GHS 4)

Water Framework Directive (WFD)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement con- cerning the International Carriage of Dangerous Goods by Road)
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
CHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
NLP	No-Longer Polymer

United Kingdom: en Page: 12 / 13



acc. to Regulation (EC) No. 1907/2006 (REACH)

GRAFFITIGUARD PERMANENT HD PRIMER

Version number: CHS 5.0 Revision: 2023-07-06 Replaces version of: 2023-02-16 (CHS 4)

Abbr.	Descriptions of used abbreviations
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STOT SE	Specific target organ toxicity - single exposure
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDC). Dangerous Goods Regulations (DCR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom: en Page: 13 / 13