

# TRAIN CLEAN

Highly efficient cleaner for removing oxidation, brake dust and atmospheric pollution from metal surfaces



## Product description

Train Clean is a very efficient acid cleaner for the removal of oxidation (rust), brake dust and heavy atmospheric pollution from various metal surfaces.

Train Clean is based on oxalic acid and due to its gel-form it allows for easy application and a longer treatment time.

Train Clean is easy to rinse off and leaves no residue on glass and metal parts.

Train Clean can be used in diluted form in washing installations. Train Clean is biodegradable.

## Use

Can be applied on metal surfaces such as trains, buses, cars and other rolling stock.

## Characteristics

- User friendly
- Removes oxidation, brake dust and other heavy pollution
- Biodegradable
- Very suitable for cleaning rolling stock

## Technical data

Odour:	Almost odor-free
Colour:	Milky yellow
Specific weight:	1,01 kg/L
pH:	~0,7
Contains:	Oxalic acid

## Application conditions

Train Clean can be applied in all weather conditions.

## Instructions

1. Apply Train Clean with a soft brush.
2. Let the product work for a couple of minutes on the surface.
3. Rinse the surface thoroughly with high pressure and warm water. Pressure depends on the type of surface.
4. Repeat the procedure if necessary.

## Packaging

1,10 and 25 L

## Consumption

Consumption is 5-10 m<sup>2</sup>/L depending on the surface, degree and nature of pollution.

## Practical information

- Always put a test piece in advance.
- Do not mix with other products, be careful with alkaline products.
- Do not use in direct sunlight or on a hot surface.
- For use in washing installation or low-pressure sprayer, dilute a maximum of 1:4 with water.

## Storage

Can be stored for at least 24 months in original unopened packaging. Store in a cool, frost-free place.

## Health and safety

Causes burns and eye damage. Avoid skin and eye contact, wear suitable gloves, protective clothing and safety goggles. When in doubt, always consult the safety data sheet or our R&D department.



## Technical support

Mavro is ISO 9001 certified: your guarantee of quality, in terms of products and advice. Our technical consultants and R&D department are always at your service. We are happy to look at your problem or wish with you. Help you with our products or find a solution if it does not yet exist. Call, e-mail or drop by.

Mavro International, Heksekamp 1, 5301 LX Zaltbommel  
T. +31 418 680 680  
E. [info@mavro-int.com](mailto:info@mavro-int.com)  
W. [www.mavro-int.com](http://www.mavro-int.com)

## Disclaimer

This technical data sheet is intended as a guide for the use of the product and is based on the latest development and technology. Because application, processing and environmental conditions are out of our reach, no rights can be derived from this technical data sheet. Mavro International rejects all liability regarding warranty, incorrect application and any damage or consequential damage. The user remains responsible at all times regarding proper use, product choice, application and results.

Edition: July 2020

All previous editions become invalid upon this publication

Product code: 57631